

Group marker, Terminal markers SCHT 7/2 ORANGE

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



The **SchT 5 S** group tag carriers are clipped directly to the TS 32 DIN rail (G-rail) or the TS 35 DIN rail (top-hat rail). It is therefore possible to provide terminal strip labelling irrespective of the terminal and the type of terminal.

SchT 5 and **SchT 5 S** are fitted with ESO 5, STR 5 protective strips.

The **SchT 7** is a hinged group tag holder for inlay tags that still allows easy access to the clamping screw.

The **SchT 7** is fitted with ESO 7, STR 7 protective strips or DEK 5.

SchT 9/4 and SchT 14/6 are hinged group tag holders for single dekafix and WS tags, allowing easy access to the clamping screws.

SchT 9/4 and **SchT 14/6** are fitted with WS or DEK.

Inlay tags and protective strips can be found under "Accessories".

General ordering data

Order No.	1359360000
Type	SCHT 7/2 ORANGE
Version	Group marker, Terminal markers, 38.8 x 8 mm, Polyamide 66, Colour: Orange
GTIN (EAN)	4008190069278
Qty.	20 pc(s).

Group marker, Terminal markers
SCHT 7/2 ORANGE

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

Length	38.8 mm	Width	8 mm
Net weight	1.003 g		

Markings

Can be labelled with thermal transfer printers	No	Can be printed with plotter	No
Can be written with dot-matrix printer	No	Can be written with laser printer	No
Colour	Orange	Conductor O.D.	
Material	Polyamide 66	Material colour according to resistance code	3
Max. temperature, transient	80 °C	Operating temperature range, max.	100 °C
Operating temperature range, min.	-40 °C	Orientation of print	horizontal and vertical
Pitch in mm (P)	5 mm	Speed marking laser	No
UL 94 flammability rating	V-2		

Classifications

ETIM 2.0	EC000761	ETIM 3.0	EC000761
UNSPSC	30-21-18-07	eClass 4.1	24-19-02-19
eClass 5.1	27-14-11-37	eClass 6.2	27-14-11-37
eClass 7.1	27-14-11-37		

Approvals

Approvals	
ROHS	Conform