


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DMN	APVD		
H	EC	063C 0232 05	14SEP05	BSV	JLG		
H1		REVISED PER ECO-09-021826	22AUG09	KK	AEG		

- △1 .000100-.000200 BRIGHT TIN-LEAD OVER .000050 NICKEL
- △2 .000100-.000200 MATTE TIN OVER .000050 NICKEL.
- △3 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



	.318	.110	3.900	39	3.984		40	9-87551-0
OBSOLETE			2.900	29	2.984	△2	30	8-87551-0
			1.700	17	1.784		18	6-87551-8
			1.500	15	1.584		16	6-87551-6
			1.400	14	1.484		15	6-87551-5
			1.300	13	1.384		14	6-87551-4
			1.200	12	1.284		13	6-87551-3
			.900	9	.984		10	6-87551-0
			.700	7	.784		8	5-87551-8
			.500	5	.584		6	5-87551-6
			.400	4	.484		5	5-87551-5
			.200	2	.284	△2	3	5-87551-3
△3 OBSOLETE	.318	.110	3.900	39	3.984	△1	40	9-87551-0
OBSOLETE			3.800	38	3.884		39	3-87551-9
			3.700	37	3.784		38	3-87551-8
			3.600	36	3.684		37	3-87551-7
			3.500	35	3.584		36	3-87551-6
SUPERSEDED BY 3-103323-5			3.400	34	3.484		35	3-87551-5
OBSOLETE			3.300	33	3.384		34	3-87551-4
			3.200	32	3.284		33	3-87551-3
OBSOLETE			3.100	31	2.184		32	3-87551-2
OBSOLETE			3.000	30	3.084		31	3-87551-1
OBSOLETE	.318	.110	2.900	29	2.984	△1	30	3-87551-0
OBSOLETE			2.800	28	2.884		29	2-87551-9
SUPERSEDED BY 2-103323-8			2.700	27	2.784		28	2-87551-8
OBSOLETE			2.600	26	2.684		27	2-87551-7
			2.500	25	2.584		26	2-87551-6
SUPERSEDED BY 2-103323-5			2.400	24	2.484		25	2-87551-5
SUPERSEDED BY 2-103323-4			2.300	23	2.384		24	2-87551-4
			2.200	22	2.284		23	2-87551-3
OBSOLETE			2.100	21	2.184		22	2-87551-2
			2.000	20	2.084		21	2-87551-1
SUPERSEDED BY 2-103323-0	.318	.110	1.900	19	1.984	△1	20	2-87551-0
OBSOLETE			1.800	18	1.884		19	1-87551-9
OBSOLETE			1.700	17	1.784		18	1-87551-8
OBSOLETE			1.600	16	1.684		17	1-87551-7
			1.500	15	1.584		16	1-87551-6
△3 OBSOLETE			1.400	14	1.484		15	1-87551-5
			1.300	13	1.384		14	1-87551-4
			1.200	12	1.284		13	1-87551-3
SUPERSEDED BY 1-103323-2			1.100	11	1.184		12	1-87551-2
SUPERSEDED BY 1-103323-1			1.000	10	1.084		11	1-87551-1
	.318	.110	.900	9	.984	△1	10	1-87551-0
SUPERSEDED BY 103323-9			.800	8	.884		9	87551-9
			.700	7	.784		8	87551-8
SUPERSEDED BY 103323-7			.600	6	.684		7	87551-7
			.500	5	.584		6	87551-6
△3 OBSOLETE			.400	4	.484		5	87551-5
SUPERSEDED BY 103323-4			.300	3	.384		4	87551-4
			.200	2	.284		3	87551-3
SUPERSEDED BY 103323-2			.100	1	.184		2	87551-2
SUPERSEDED BY 103323-1	.318	.110	-	-	.084	△1	1	87551-1
	E	D	C	B	A	FINISH	NO. OF POS	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT. DIM: 8-9-75
 DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0. PLC ± -
 1. PLC ± -
 2. PLC ± -
 3. PLC ± .005
 4. PLC ± -
 ANGLES ± -
 MATERIAL: HSG: GLASS FILLED NYLON; COLOR: BLACK; POST: PHOS BRONZE. FINISH: SEE CALLOUT. WEIGHT: -. SIZE: A1. CAGE CODE: 00779. DRAWING NO: 87551. RESTRICTED TO: CUSTOMER DRAWING. SCALE: 4:1. SHEET: 1 OF 1. REV: H1.

Tyco Electronics Corporation
 Harrisburg, Pa 17105-3608
 NAME: HEADER ASSY, MOD II, .100 C/L, SINGLE ROW, RIGHT ANGLE, .025 SQUARE POST