


# ADSL LINE TRANSFORMER

## For Globespan G7000 ADSL Chipset



- Designed for Central Office (CO) and Customer Premise (CPE) applications
- Excellent THD performance in a small footprint
- Designed to meet UL1950 and EN60950 supplementary insulation requirements for working voltages up to 250 Vrms

### Electrical Specifications @ 25°C — Operating Temperature -40°C to 85°C

Part Number	Mounting	Application	Turns Ratio (± 2%)	OCL @ 10 kHz, 0.1 V		Leakage Inductance @ 100 KHz, 0.1 V (MAX)	Longitudinal Balance
				(1-5) with (2-4) shorted	(10-6) with (7-9) shorted		
B2088	SMT	CPE	1:1	430 μH ±10%	430 μH ±10%	10 μH (1-5) with 2-4, 7-9, 10-6 shorted	≤ -40 dB (25 KHz - 1.1 MHz)
B2201	SMT	CO	1:1.42	237 μH ±10%	474 μH ±10%	15 μH (10-6) with 7-9, 1-4, 2-5 shorted	≤ -60 dB (20 KHz - 1 MHz)

### Additional Specifications




Part Number	THD Typical (Linearity)	DC Resistance (Ω - MAX)		Isolation Voltage (Vrms)	Insertion Loss (MAX)
		Line Side	Chip Side		
B2088	≤ 80 dB @ 100 kHz	≤ .45 (1-4) = (2-5)	≤ .35 (10-7) = (9-6)	1875	≤ 0.50 dB @ 772 kHz
B2201	≤ 70 dB @ 200 kHz	≤ 2.0 (1-5) with 2-4 shorted	≤ 2.0 (10-6) with 7-9 shorted	2000	≤ 1.00 dB @ 150 kHz - 1.5 MHz

NOTE: Transformers are shipped in trays, unless Tape & Reel packaging is specified by adding the suffix "T" to this part number (B2088T)

### Mechanicals

### Schematic

#### B2XXX



Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
 Unless otherwise specified, all tolerances are  $\pm \frac{.010}{0,25}$

### For More Information :

UNITED STATES (Worldwide)	UNITED KINGDOM (Northern Europe)	FRANCE (Southern Europe)	SINGAPORE (Southern Asia)	TAIWAN, R.O.C. (Northern Asia)	DISTRIBUTOR
12220 World Trade Drive San Diego, CA 92128 U.S.A. http://www.pulseeng.com TEL: 858 674 8100 FAX: 858 674 8262	1 & 2 Huxley Road The Surrey Research Park Guildford, Surrey GU2 5RE United Kingdom TEL: 44 1483 401700 FAX: 44 1483 401701	Zone Industrielle F-39270 Orgelet France TEL: 33 3 84 35 04 04 FAX: 33 3 84 25 46 41	150 Kampong Ampat #07-01/02 KA Centre Singapore 368324 TEL: 65 287 8998 FAX: 65 280 0080	3F-4, No. 81, Sec. 1 HsinTai Wu Road Hsi-Chih, Taipei Hsien Taiwan, R.O.C. Tel: 886 2 2698 0228 FAX: 886 2 2698 0948	

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners.