

150X $\varnothing 0.39 \pm 0.05$ PLATED THRU HOLE
 150X $\varnothing 0.48 \pm 0.013$ DRILL HOLE
 $\varnothing 0.10$

RECOMMENDED PCB LAYOUT
 MIN BOARD THICKNESS 1.0

LOC	DIST	REV	DATE	BY	APPV
AD	00	D	10APR2015	AP	DD

REVISIONS

DESCRIPTION


DATE

DWN

APPV

MATERIAL:
 HOUSING: LCP, GLASS FILLED, UL94V-0.
 TERMINALS: HIGH PERFORMANCE COPPER ALLOY.

FINISH:
 30 μ SELECTIVE GOLD IN CONTACT AREA. SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL.



SCALE 4:1

REFER TO WWW.TE.COM FOR PRODUCT AVAILABILITY

NONE		2132695-1
KEY POSITION	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	29APR2011	TE Connectivity NAME: IMPACT, ORTHOGONAL, 5 PAIR, DAUGHTERCARD, 10 COLUMN, NO GUIDE, SIGNAL MODULE, 0.39 EYELET SIZE: CAGE CODE DRAWING NO: A100779C=2132695 RESTRICTED TO:
DIMENSIONS:		CHK	D. DIXON 29APR2011	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPV	D. DIXON 29APR2011	
mm 0 PLC \pm 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC \pm 4 PLC \pm ANGLES \pm		PRODUCT SPEC	APPLICATION SPEC	
MATERIAL	FINISH	WEIGHT	CUSTOMER DRAWING	SCALE 6:1 SHEET 1 OF 1 REV D