

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [62200-7400](#)  
**Status:** **Active**  
**Description:** Tool Kit for Standard Manual Press FFC

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)


**General**

Product Family	Application Tooling
Series	T1324
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Product Name	Arbor
Survey	<a href="http://www.molex.com//review/apptool_survey.html">www.molex.com//review/apptool_survey.html</a>
Tool Type	Tool Kit
UPC	800753887497

**Physical**

Net Weight	2759.000/g
------------	------------

**Material Info**



<b>EU RoHS</b>	<b>China RoHS</b>
----------------	-------------------

**Compliance Status**

**Not Reviewed**

**REACH SVHC**

**Not Reviewed**

**Low-Halogen Status**

**Not Reviewed**

**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

T1324Series

**Use With**

Flat Flexible Cable Connectors

<b>Application Tooling</b>	<b>FAQ</b>
<b>Description</b>	<b>Product #</b>

2.54mm SL™ Single Row, Female, Version G Receptacle, 4 Circuits	0015388040
---	------------

2.54mm SL™ Single Row, Female, Version G Receptacle, 11 Circuits	0015388110
--	------------

2.54mm SL™ Single Row, Female, Version C Receptacle, 12 Circuits	0015388127
--	------------

2.54mm SL™ Single Row,	0015388128
---------------------------	------------

Female, Version A Receptacle, 12 Circuits 2.54mm SL™	0015388148
Single Row, Female, Version A Receptacle, 14 Circuits 2.54mm SL™	0015388050
Single Row, Female, Version G Receptacle, 5 Circuits 2.54mm SL™	0015388108
Single Row, Female, Version A Receptacle, 10 Circuits 2.54mm SL™	0015388060
Single Row, Female, Version G Receptacle, 6 Circuits 2.54mm SL™	0015388090
Single Row, Female, Version G Receptacle, 9 Circuits 2.54mm SL™	0015388080
Single Row, Female, Version G Receptacle, 8 Circuits 2.54mm SL™	0015474143
Single Row, Female, Version G Receptacle, 14 Circuits 2.54mm SL™	0015474150
Single Row, Female, Version A Receptacle, 15 Circuits 2.54mm SL™	0015388120
Single Row, Female, Version G Receptacle, 12 Circuits 2.54mm SL™	0015388138
Single Row, Female, Version A Receptacle, 13 Circuits 2.54mm SL™	0015474053
Single Row, Female, Version G Receptacle, 5 Circuits 2.54mm SL™	0015474043
Single Row, Female, Version G Receptacle, 4 Circuits 2.54mm SL™	0015474123
Single Row,	

Female, Version G Receptacle, 12 Circuits	
2.54mm Pitch SL™	0015475050
FFC/FPC Connector - Single Row Male Version D, 5 Circuits	
2.54mm SL™	0015474093
Single Row, Female, Version G Receptacle, 9 Circuits	
2.54mm SL™	0015388058
Single Row, Female, Version A Receptacle, 5 Circuits	
2.54mm SL™	0015388070
Single Row, Female, Version G Receptacle, 7 Circuits	
2.54mm SL™	0015388100
Single Row, Female, Version G Receptacle, 10 Circuits	
2.54mm SL™	0015388020
Single Row, Female, Version G Receptacle, 2 Circuits	
2.54mm SL™	0015388140
Single Row, Female, Version G Receptacle, 14 Circuits	
2.54mm SL™	0015388028
Single Row, Female, Version A Receptacle, 2 Circuits	
2.54mm SL™	0015388030
Single Row, Female, Version G Receptacle, 3 Circuits	
2.54mm SL™	0015388038
Single Row, Female, Version A Receptacle, 3 Circuits	
2.54mm SL™	0015388048
Single Row, Female, Version A Receptacle, 4 Circuits	
2.54mm SL™	0015388068
Single Row, Female, Version A Receptacle, 6 Circuits	
2.54mm SL™	0015388078
Single Row, Female, Version	

A Receptacle, 7 Circuits 2.54mm SL™ Single Row, Female, Version	0015388088
A Receptacle, 8 Circuits 2.54mm SL™ Single Row, Female, Version	0015388098
A Receptacle, 9 Circuits 2.54mm SL™ Single Row, Female, Version	0015388118
A Receptacle, 11 Circuits 2.54mm SL™ Single Row, Female, Version	0015388130
G Receptacle, 13 Circuits 2.54mm SL™ Single Row, Female, Version	0015388147
C Receptacle, 14 Circuits 2.54mm SL™ Single Row, Female, Version	0015388150
G Receptacle, 15 Circuits 2.54mm SL™ Single Row, Female, Version	0015388158
A Receptacle, 15 Circuits 2.54mm SL™ Single Row, Female, Version	0015388160
G Receptacle, 16 Circuits 2.54mm SL™ Single Row, Female, Version	0015388168
A Receptacle, 16 Circuits 2.54mm Pitch SL™ FFC/FPC Connector - Single Row Male Version D, 4 Circuits	0015389042
2.54mm Pitch SL™ FFC/FPC Connector - Single Row Male Version D, 5 Circuits	0015389052
2.54mm Pitch SL™ FFC/FPC Connector - Single Row Male Version D, 6 Circuits	0015389062
2.54mm Pitch SL™ FFC/FPC Connector - Single Row Male Version D, 13 Circuits	0015389132

2.54mm Pitch SL™ FFC/FPC Connector - Single Row Male Version D, 14 Circuits	0015389142
2.54mm SL™ Single Row, Female, Version A Receptacle, 2 Circuits	0015474020
2.54mm SL™ Single Row, Female, Version G Receptacle, 2 Circuits	0015474023
2.54mm SL™ Single Row, Female, Version G Receptacle, 2 Circuits	0015474027
2.54mm SL™ Single Row, Female, Version G Receptacle, 3 Circuits	0015474033
2.54mm SL™ Single Row, Female, Version G Receptacle, 3 Circuits	0015474037
2.54mm SL™ Single Row, Female, Version A Receptacle, 4 Circuits	0015474040

This document was generated on 03/08/2013

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**