

**DEK 5/3,5 MC NEUTRAL**

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-2083

www.weidmueller.com

The **dekafix (DEK)** marker is the universal marker for all conductor and plug-in connectors as well as for electronics modules. The system is ideal for small groups of consecutive numbers and covers a large range of ready-printed markers. Being mounted as strips means that they are quickly clipped on in one operation. The printing is legible with good contrast, and is available in five widths.

- large selection of ready-to-use markers,
- in strips for fast installation
- connector markers suitable for all Weidmüller conductor connectors,
- available as blank cards, MultiCard or as cards with standard printing.

**General ordering data**

Order No.	<a href="#">1755270000</a>
Part designation	DEK 5/3,5 MC NEUTRAL
Version	Connector markers, x 3.5 mm, Polyamide, white
GTIN (EAN)	4032248017348
Qty.	500 pc(s).

## DEK 5/3,5 MC NEUTRAL

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-2083

www.weidmueller.com

## Technical data

### Dimensions (1)

Length	5 mm	Width	3.5 mm
--------	------	-------	--------

### Markings

Cadmium	No	Can be labelled with thermal transfer printers	No
Can be printed with plotter	Yes	Can be written with dot-matrix printer	No
Can be written with laser printer	No	Flammability class UL 94	V-2
Halogen	No	Material	Polyamide
Material colour	white	Material colour according to resistance code 9	
Operating temperature range, max.	100 °C	Operating temperature range, min.	-40 °C
Pin can be written (STI)	Yes	Pitch in mm	3.5 mm
Printed characters	without	Silicone	No
Speed marking laser	Yes		

### Approvals

Approvals institutes	GOSTME25
----------------------	----------

### Classifications

eClass 5.1	27-14-11-37	eClass 6.0	27-14-11-37
------------	-------------	------------	-------------

### Downloads

STEP	<a href="#">1755270000_27470_DEK_5-3.5_MC_STP.stp</a>
------	---