




CRIMP DATA (TE TERMINAL)					
TERMINAL NAME	SHIELD CRIMP SLEEVE HVP 800, 90°				
CRIMP	SIZE	TYPE		RANGE	
WIRE	COROPLAST				50 mm <sup>2</sup>
INSUL	(X)		(X)		Pos. F 15,5 +/- 0,2
WIRE STRIP LENGHT			APPLICATOR INSTRUCTION		
TERMINAL APPL SPEC 114-94052	PRODUCT SPECIFICATION			FEED	
TERMINALS APPLIED			SEALS		
2141157-1	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
WIRE SIZE (mm <sup>2</sup> AWG)		CRIMP HEIGHT		REF SETTING	
50 mm <sup>2</sup>		Pos. G 16,6 +/- 0,2			
		Pos. H 21 max.			
-		-		-	
-		-		-	
-		-		-	
-		-		-	
-		-		-	
-		-		-	
<b>REMARK:</b> Applicator only used in combination with COROPLAST (LV216-2) Terminal Appl. Spec. 114-94052					
<b>TYPE:</b> Applicator for LP-Terminals					
<b>TERMINATOR:</b> HV-Crimping Machine PN 528008-4					

P	LTR	REVISION RECORD	DATE	DWN	APVD	PRINTED	DWN	24JAN14	CHK	24JAN14	APVD
-	G1	ECR-14-001141	24JAN14	BM	GS	03FEB14	B. MUTH		G. STEGMAYER		G. STEGMAYER
-	-	-	-	-	-	WEIGHT	DIMENSION (mm)		MATERIAL		HT TR
-	-	-	-	-	-	-	-		-		-
THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.  DIESES ZEICHNUNGSDOKUMENT WIRD DURCH TYCO ELECTRONICS CORPORATION KONTROLLIERT. ÄNDERUNGEN DIE DEM TECHNISCHEN FORTSCHRITT DIENEN, SIND VORBEHALTEN. DEN JEWEILS LETZTGÜLTIGEN ÄNDERUNGSSTAND ERFAHREN SIE AUF ANFRAGE						 TOLERANCES UNLESS OTHERWISE SPECIFIED SEE SHEET 1		 <b>tyco Electronics AMP GmbH</b> D-64625 Bensheim <b>SPARE AND WEAR PARTS LIST</b>			
NAME										RESTRICTED TO	
DIE SET SHIELD CRIMP HVP800 50 SQMM										-	
SCALE		SIZE		DRAWING NO		SHEET		REV			
SEE SHEET 1		A4		C-1-528041-2		1 / 3		G1			



LOC	DIST	REVISIONS					
A	I	P	LYR	DESCRIPTION	DATE	OWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-
-	-	-	-		-	-	-



Matrize kann in Kombination mit hydraulischer Handzange TE PN 9-1579009-1 verwendet werden  
 Die set can be used in combination with hydraulic hand tool TE PN 9-1579009-1

△  
 Position zum Anbringen des Aufklebers.  
 Position to stick on label.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. Witt	21MAR2013	<b>TE</b> TE Connectivity
DIMENSIONS: mm		CHK C. Witt	21MAR2013	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	-	NAME
0 PLC ±		PRODUCT SPEC	-	DIE SET SHIELD CRIMP
1 PLC ±		APPLICATION SPEC	-	HVP800 90 DEG 50 SQMM
2 PLC ±		WEIGHT	0.8 kg	SIZE
3 PLC ±		CUSTOMER DRAWING	A200779	CAGE CODE
4 PLC ±		SCALE	2,1	DRAWING NO
ANGLES		SHEET	3	RESTRICTED TO
FINISH		OF	3	REV
MATERIAL		REV	G1	