

View on mating side

□	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
○	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
◊	A	A	A	A	A	D	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
○	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

A = 127 standard contacts L=2
D = 1 LMF contact L=2

S = 128 total number of contacts

Marking	Standard
Performance level	G2/0 = Contact area perform.level2 / Termination tin
Flux proof	no
Fixing clip	no
Dimensions	SDA-85015-0001
TechnicalData	PS-85013-0002

D	G2/0	b9
A	G2/0	a1-32 b1-8,10-32 c1-32 d1-32
Contact symbol	Perform. level	Contact position number

ECN No. MG1999-0060 first release >	REVISIONS	FOR PREVIOUS REVISIONS SEE MRI LIST
	DESIGN DIMENSION <input type="checkbox"/> MM <input type="checkbox"/> IN. EQUIVALENT DIMENSION <input type="checkbox"/> MM <input type="checkbox"/> IN. <small>IF TWO DIMENSIONS ARE SHOWN, THE UPPER IS SECONDARY THE DESIGN DIMENSION, LOWER IS PRIMARY</small>	SCALE
3 PLACE ± . ± 2 PLACE ± . ± 1 PLACE ± . ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRWG BY Ca CHK'D BY Er APP'D BY FB	SIGN SIGN SIGN
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 2° INCH METRIC		
REVISE ONLY ON CAD SYSTEM		SH. REV.
CAD/CAM PROJECT NAME s8501503 s11		THIS DRAWING CONTAINS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
TITLE 128 pos. Male connector acc. DIN 41612 style R contacts arrangement		
MOLEX EUROPE		SHEET NO. DATE 1 OF 1 98/09/08
85015-0311		DWG NO. SIZE SDA-85015-0311 A