

Protective hose - WP-STEEL PVC C 21 - 3240870

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Galvanized steel protective hose with PVC coating

Image shows WP-STEEL PVC C 10 version

Key Commercial Data

| | |
|--------------------------------------|----------|
| Packing unit | 1 M |
| Minimum order quantity | 10 M |
| Weight per Piece (excluding packing) | 266.0 g |
| Custom tariff number | 83071000 |
| Country of origin | Germany |

Technical data

Dimensions

| | |
|--------------------|----------|
| Inner diameter (f) | 17.00 mm |
| Outside diameter | 21.00 mm |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -25 °C ... 80 °C |
| Short-term temperature | 100 °C |

General

| | |
|------------------------|-----------------------|
| Color | black |
| Type | Spirals, sheathed |
| Material | Steel, galvanized/PVC |
| Bending radius, static | 110.00 mm |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27141131 |
|------------|----------|

Protective hose - WP-STEEL PVC C 21 - 3240870

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.1 | 27141131 |
| eCl@ss 5.0 | 27141131 |
| eCl@ss 5.1 | 27141120 |
| eCl@ss 6.0 | 27141120 |
| eCl@ss 7.0 | 27141120 |
| eCl@ss 8.0 | 27430301 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000897 |
| ETIM 4.0 | EC001179 |
| ETIM 5.0 | EC001179 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211812 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11 | 39121411 |
| UNSPSC 12.01 | 39121411 |
| UNSPSC 13.2 | 39121411 |

Approvals

Approvals


Approvals

VDE Zeichengenehmigung

Ex Approvals

Approvals submitted

Approval details

| |
|--|
| VDE Zeichengenehmigung  |
|--|

Protective hose - WP-STEEL PVC C 21 - 3240870

Accessories

Accessories

Corrugated pipe screw connection

Screw connection - WP-G BRASS IP65 PG16 - 3241054



Cable gland made from brass with Pg thread, IP65 protection

Screw connection - WP-G BRASS IP65 M20 - 3241061



Cable gland made from brass with metric thread, IP65 protection

Mounting material

Hose clamp - WP-BASE HF 22 - 3240970



Hose clamps

Protective hose fixing bracket - WP-BASE A PG16 - 3241079



Fixing bracket for protective sleeves, fixed with two screws

Protective hose - WP-STEEL PVC C 21 - 3240870

Accessories

Protective hose fixing bracket - WP-BASE A M20 - 3241084



Fixing bracket for protective sleeves, fixed with two screws

Protective cap

Cable protection end sleeve - WP-SC BRASS WP PVC 21 - 3241075



End sleeves as cable protection, made of brass, for WP-STEEL PVC C
